

# The Effect of Project and Programme Reference Models in Architecture, Engineering and Construction (AEC) System Development

Norshakila Muhamad Rawai<sup>a</sup>, Mohammad Abedi<sup>b</sup>, Mohamad Syazli Fathi<sup>c</sup>

<sup>a</sup>Faculty of Civil Engineering, Universiti Teknologi Malaysia (UTM), Johor Bahru, Joho, Malaysia

<sup>b</sup>Construction Quality & Maintenance Research Group, Construction Research Alliance, Universiti Teknologi Malaysia, Kuala Lumpur, Malaysia

<sup>c</sup>UTMRazak School of Engineering & Advanced Technology, Universiti Teknologi Malaysia, Kuala Lumpur, Malaysia

\*Corresponding author: syazli@utm.my

## Article history


Received : 1 May 2014

Received in revised form :

14 September 2014

Accepted : 1 Oktober 2014

## Graphical abstract



## Abstract

This paper presents the effect of project and programme reference models in Architecture, Engineering and Construction (AEC) system development. The trend towards AEC projects becoming more globalized, with multiple projects and processes being conducted concurrently, requires information systems to be widely implemented in the industry. However, current information systems tend to be specific and individually-centred offerings. Also, the existing knowledge for the implementation of information system integration is not helpful because different organizations have different characteristics regarding work, information, processes, culture, and ideas. To address these issues, research was conducted to review the existing information system models which can be apply to construction project and programme management and their effects on developing an information reference model for an AEC information system. The reference model can be used as guidelines for developing a standardized information system for enterprise project management with information integration practice for various organizations. The model can also be used to outline software requirements in the process of selecting a project and programme management software system in the market. Thus, adoption of this reference model as an essential foundation will affect the data management, knowledge management, information analysis and sustainability aspects in AEC system development.

**Keywords:** Project management; knowledge management; information technology; reference model; guidelines

© 2014 Penerbit UTM Press. All rights reserved.

## › 1.0 INTRODUCTION

Construction projects have grown larger and more complicated nowadays. Multiple projects run concurrently are typical in major Architecture, Engineering and Construction (AEC) organizations. As projects have become larger, technical complexity has become greater. Project requirements have increased, Client demands and government regulations have grown considerably and public desire for an improved lifestyle quality has increased.

To add another layer of complexity, Organizations are urged to incorporate sustainability as a major objective into their construction process in construction management (Rawai *et al.*, 2013a). The PMI project management standard by, PMBOK 5<sup>th</sup> edition, redefined the Data, Information, Knowledge and Wisdom (DIKW) model to be used in the field of Knowledge Management, which mean a project data and information flow need to be more consistence and aligned with DIKW (PMI PMBOK, 2013). Sustainability in the process of designing, planning and developing process become a critical factor as they

become one of the elements in the wisdom aspect of construction management (Fathi *et al.*, 2012). The most common issue identified in construction management is related to Integrations between project parties, including documentation, communications, and interoperability. Because of the dynamic environment in construction information and the participation of multiple parties, collaborative and integration teamwork is important to the construction industry (Nourbakhs, 2012). With the development of Information Computer Technology (ICT), the construction industry has a great potential to increase the effectiveness of information management between project parties. Computerized information systems in the construction industry have been built purposely to integrate the information and data, processing and transferring that information so that stakeholders can obtain a clear view of the project operations that they are managing (Zakaria, 2012).

Therefore, to manage the huge influx of project information, an integrated and computerized project management information system (PMIS) is required. The PMIS

has been identified as the tool to achieve the objectives of better collaboration and integration among projects (Rawai *et al.*, 2013a).

However, despite the many development of these technologies and all the efforts that have been put into developing and facilitating the information system in AEC projects, utilization of this technology has not significantly progressed beyond simple document storage and exchange, file management and single function databases (Summer, 1999; Karim, 2011; Rawai *et al.*, 2013a). A good PMIS should provide an individual satisfaction to the users, also provide an organizational satisfactions, such as adhering to the project budget, schedule, cost, risk, quality, and safety. The current system seems to be lacking in available PMISs today. Drawbacks of the current system can be characterized as follows:

**Complex system** Increased complexity in the system leads to uncertainties of what type of information, what format and to whom or when this information need to be delivered by project team/workers (Elonen and Artto, 2003).

**Information overload and big data** Too much information causes problems for the system in identifying and selecting the relevant information from an abundance of available information and will increase the time for information processing (Caniëls and Bakens, 2012; Zakiyudin *et al.*, 2013). Eventually, this process will cause fragmentation in the system.

- ◁ Usability, compatibility As an information system passes through layers of technology transfer, the original features become distorted (Anna, 2011). Systems should adopt a computing standard which allows it to be compatible with the changes of technology (e.g.: cloud computing, mobile computing).
- ◁ Standardization, integration and coordination An individually designed PMIS can create an inefficient and disintegrated system. A PMIS with a standardized format and definitions that everyone can learn to understand increases understanding, saves time, and helps create an integrated system (Anna, 2011).

In addition, the growth of technology, especially mobile communications and social networks, in recent years should be adhered. Mobile features in the system or software have become a necessity. The AEC industry has greatly benefited from the advances in mobile communication technologies, Mobile project management information systems have increased the speed of information flow and collaboration (Fathi *et al.*, 2012), enhanced the efficiency and effectiveness of information communication (Gumm *et al.*, 2005), and reduced the cost of information transfer.

There are several factors that contribute to the problems in existing AEC project management information systems (Rawai *et al.*, 2013b):

1. They do not fit user requirements,
2. They do not follow standards,
3. They do not have guidelines for the development process.

However, all the above issues can be countered by the adoption of appropriate reference models in the process of developing the integrated system. This will be further discussed below. The review is of available reference models for project

management that cover all the management levels in managing a project and a comparison of the models.

This paper consists of 6 sections. The next section will discuss the reference models, their history and specifically focus on the information reference model. The third section will review previous projects and a programme reference model that been applied in AEC system development in recent years. In section 4, the comparison of the existing reference models was carried out and discussed. The effect of adopting the reference model in AEC system development is then discussed in section 5. Finally, in section 6, the research conclusion is drawn.

2.0 REFERENCE MODELS

Information systems (IS) are technical systems with social consequences (Hirschheim *et al.*, 1995; Karim, 2011). They comprise people, software, procedures, hardware and the organizational system. This is why information reference models is important in the analysis, design and deployment of information systems (Fettke and Loos, 2003). Three types of information models can be defined depending on the phase or level of design and implementation in IS (Ahlemann, 2009):

1. **Conceptual models** help with the requirements that IS need in terms of documenting, analysing, and understanding of the requirement. These models focus on the solutions for the problems or the supports for specific processes and do not take any technical aspects into consideration.
2. **Design models** specify the component of architecture for information system by describing larger technical building block. However, this component are not analysed in detail.
3. **Implementation models** depend on specific technologies and are closely related to software programming.

Luiten *et al.* (1993) when they combined their individual research activities on modelling in the architecture, engineering and construction domains. As a result, they create IRMA (Information Reference Model for AEC), an unified domain model (Luiten *et al.*, 1993). Reference models are one alternative approach to help speed up the development of enterprise-specific models (Fettke and Loos, 2003). Reference models provide a basis for the design of organisation and application systems for companies and researchers (Thomas, 2006). Thus, this research will review and compare the available project management reference models and show the gaps in the existing models that will be fulfilled by the new concept of a reference model.

3.0 PREVIOUS PROJECT AND PROGRAMME MANAGEMENT REFERENCE MODELS

Froese (1992), produced one of the important reference information models for project management in the AEC industry. Using object-oriented modelling techniques to develop a domain model for project management and a corresponding application system. This was followed by Sacks (2002) who developed an integrated AEC information service using object methods and a central project model. Both models were designed for a single-project management system.

The first reference information model for programme management was published by Turner and Speiser (1992). This model needs objectives coordination of programme directors, project managers and resource managers. This model shows that all information required by these three sets of manager can be met by an integrated system, as shown in Figure 1. This integrated system consist of three major elements (Turner and Speiser, 1992) as follows:

- ◁ A master project scheduler (MPS): To manage the priorities between projects and to assign resources to individual projects by programme directors;
- ◁ Traditional project-management systems: Conventional ways (using the assigned resources) to deliver individual project objectives, using the assigned resources by project managers; and
- ◁ People schedulers: To assign people to the multidisciplinary teams working on projects, within the constraints set by the programme directors, but meeting the objectives of the project managers). This is use by resource managers.




Figure 1 Information-systems requirement of programme management (adopted from Turner and Speiser, 1992)

Ahlemann (2009) presented an enterprise-wide project management reference information model that covers all project management processes in terms of projects planning, coordinating and controlling. As shown in Figure 2, based on the literature and empirical research, RefMod<sup>PM</sup> validated process and data structure descriptions for project management (Ahlemann and Riempp, 2008). The model can also be adopted in the design process for software in project management and to set-up the surrounding organizational system, also to define the software requirements that are essential in selecting an organization specific project management software system. RefMod<sup>PM</sup> covers both single-project management and multi-project management. It is called M-Model that based on a single, uniform, information system architecture and makes use of the Unified Modelling Language (UML) Version 2.




Figure 2 The M-Model (Ahlemann, 2009)

As shown in Figure 2, The M-Model in RefModPM specified project life-cycle phases outlined in its scope to ten activity diagrams. A class diagram that describes the data structures required to support the respective processes has assigned to each of these activity diagrams. The activity diagrams are further refined in more detailed process descriptions, where necessary.

4.0 COMPARISON OF THE REFERENCE MODELS

Based on the previous and current project management information system review, Table 1 compares four project and programme management information system reference models intended for construction management. Based on the research study by Ahlemann (2009), and for the purpose of comparison, to find the most suitable project or programme management information system model to be adopted in managing a construction project, the following general requirements were adopted:

1. PMIS models must clearly identify the applicability of the model to a project life-cycle phase or project status;
2. For the purpose of multi-project management, PMIS hierarchical system (project, programme or portfolio level); and
3. PMIS models must be identified for the topic covered by the Project Management Institute (2004) which according to the nine knowledge areas of the Project Management Body of Knowledge (PMBOK).

Based on the comparison in Table 1, it is clear that the RefMod<sup>PM</sup> model is overly achieved the scope of previous reference models. However, since RefMod<sup>PM</sup> adopted some ideas from previous models and modify them to address the additional requirements, this is not surprising result. Table 1 also represents the significant research progress in the field of PMIS reference models. RefMod<sup>PM</sup> has significantly wider scope that cover project planning, execution, initiation and benefit realisation) and designed to be able address both single- and multi-project management; and also covers all functional requirements of the PMIS model.

**Table 1** Comparison of project and programme management information system reference model

	Froese Model (Froese, 1992)	Turner and Speiser Model (Turner and Speiser, 1992)	Sacks Model (Sacks, 2002)	RefMod <sup>PM</sup> Model (Ahlemann, 2009)
<b>Domain Characteristics</b>				
Programme lifecycle phases	Planning.	Identification, Planning, Delivery, Closure.	Delivery.	Identification, Planning, Delivery, Closure.
Management levels	Project.	Project, Programme, Portfolio.	Project.	Project, Programme, Portfolio.
Supported industries	Construction Industry.	Many Industries such as IT, Architecture, Engineering, Construction and Aerospace.	Building Information.	Many Industries such as IT, Architecture, Engineering, Construction and Aerospace.
<b>Topic Covered</b> (According to the nine knowledge areas of the Project Management Body of Knowledge (PMBOK)(Project Management Institute, 2013))				
Integration management	No	Yes	Yes	Yes
Scope management	Yes	Yes	No	Yes
Time management	Yes	Yes	Yes	Yes
Cost management	Yes	Yes	Yes	Yes
Quality management	No	Yes	No	Yes
Human resources management	No	Yes	Yes	Yes
Communications management	No	Yes	Yes	Yes
Risk management	No	No	No	Yes
Procurement management	Yes	No	Yes	Yes
Project Stakeholders management	No	No	No	No
<b>Models available for:</b>				
Data structures	Yes	No	Yes	Yes
Organizational structures	Yes	No	No	Yes
Processes	No	Yes	Yes	Yes
Information management	No	No	No	No
Knowledge management	No	No	No	No
Wisdom	No	No	No	No

› **5.0 EFFECTS OF REFERENCE MODEL ADOPTION IN AEC SYSTEM DEVELOPMENT**

The implementation of an efficient project management information system with the right reference models can improve the efficiency of information flow in current information systems for the construction industry. The important characteristics of an improved information flow system in project management is to provide a real time and up-to-date organisational structure that will reduce the problems of multiple agents and hierarchies.

Through this research, we hope to be able to contribute by providing significant insights into why a reference model is an essential foundation to help a programmer or project and programme manager to develop an effective and efficient information system by providing appropriate guideline systems. Integrating and standardising systems is strategically demanding today, therefore, having a reference model that complies with the global standard- v j g " R O K ø u " R O D Q M g r e a t R y O K . " information system developers concentrate on potential benefit the developer. In addition, this reference model helps the developers to anticipated a potential problems and create solutions in their information system development. By adopted the idea of using an appropriate reference model in AEC system development, most of the problems can be dealt with including the complex and fragmented system, standardization,

integration, co-ordination and collaboration issues in the current system (Ahlemann, 2009; Fettke and Loos, 2003).

This reference models is an essential foundation for helping a programmer or project and programme manager to develop an effective and efficient information system, which will be able to provide guidelines for programmers to develop other systems (Fathi, *et al.*, 2009; Ahlemann, 2008). By visualizing the important elements in development process, they can have a clear view of the system and the chances of producing an effective and personalised system or software are much higher. Plus, the system can be developed according to the R O K ø u " R O D Q M g r e a t R y O K . " information system developers concentrate on potential problems and provide solutions in terms of organizational structures, reengineering business processes, and information management (Ahlemann, 2009).

Thus, the improved and efficient construction project management information system may be able to address the following by adoption of the appropriate reference models in the



development process (Raymond and Bergeron, 2008; Caniëls and Bakens, 2012; Karim, 2011):

1. Improved and more timely decision-making;
2. Improved efficiency in managerial tasks to provide a better project planning, scheduling, monitoring and control;
3. Provide the construction project and programme managers a tool or a system that enables them to monitor, access and control the specific project information across all projects, and ensure that the project stays within the overall strategic objectives of the organisation.
4. Improve the ability to make an instant decision based on the instant access to real time information;
5. Improve the efficiency and reliability of information in existing information systems;
6. Improve coordination and communications between the project team; and
7. Improve control on budget and project deadlines at the same time able to fulfilled technical specifications.

## > 6.0 CONCLUSION

This paper presents the effects of project and programme reference models on AEC system development. The current practices in developing a system or software in the AEC industry were missing an important element i.e. the reference models. The current project management information system (PMIS) offers limited benefits which are less than those set out in its intended objectives. In the AEC industry where the information management is vital, adoption of the best PMIS is important. To come up with such a system, various aspects and elements in the developing process should be considered. Therefore, reference models offer the best solution. Without appropriated reference models, the system will be developed without appropriate guidelines and eventually, will suffer from standardisation and coordination issues. Moreover, the system will be unable to integrate with other systems and software and adding new modules could be impossible. Also, complex construction that generated information overload could finally fragment and damage the whole system. The application of the previous reference models validates the concept and utility of the model, showing it to be useful and necessary for developing a standardized and integrated project management system.

## Acknowledgement

This work was financially supported by National Institute of Valuation Malaysia under National Real Estate Coordinator (NAPREC) research grant and Universiti Teknologi Malaysia (UTM Grant No: 4B086).

## References

- [1] Ahlemann, F. 2009. Towards A Conceptual Reference Model for Project Management Information Systems. *International Journal of Project Management*. 27(1): 19 40.
- [2] Ahlemann, F. & Riempp, G. 2008. RefModPM: A Conceptual Reference Model for Project Management Information Systems *Wirtschaftsinformatik*. 50(2): 88 97.
- [3] Anna J. B. 2011. *The Functional Design of a Project Management Information System: Case Study with South African Breweries Ltd.* Department of Industrial Engineering, Stellenbosch University. South Africa.
- [4] Caniëls, M. C. J., Bakens, R. J. J. M. 2012. The Effects of Project Management Information Systems on Decision Making in a Multi-Project Environment. *International Journal of Project Management*. 30(2): 162 175.
- [5] Elonen, S., Artto, K. A. 2003. Problems in Managing Internal Development Projects in Multi-Project Environments. *International Journal of Project Management*. 21(6): 395 402.
- [6] Fathi, M. S. 2009. *Micro and Macro-Level Context-Aware Information Delivery for Construction Programme Managers*. Civil and Building Engineering Department, Loughborough, Loughborough University.
- [7] Fettke, P. & Loos, P. 2003. Classification of Reference Models: A Methodology and Its Application Information Systems and E-Business Management. 1(1): 35 63.
- [8] Froese, T. M. 1992. *Integrated Computer-Aided Project Management through Standard Object-Oriented Models*. PhD. Department Of Civil Engineering, Stanford University.
- [9] Frederick, E. G., Nancy, E. J. 2003. *Construction Project Management*. Second edition. Prentice Hall, New Jersey. 21 23.
- [10] Gumm, C., Bannister, K., Elysee, M., Penfold, G. 2005. *Global Programme Management Survey A UK Perspective*. London, KPMG International.
- [11] Hirschheim, R., Klein, H. K. & Lyytinen, K. 1995. *Information Systems Development and Data Modeling: Conceptual and Philosophical Foundations*. Cambridge: Cambridge University Press.
- [12] Karim, A. K. 2011. Project Management Information Systems (PMIS) Factors: An Empirical Study of Their Impact on Project Management Decision Making (PMDM) Performance. *Research Journal of Economics Business and ICT*. 2: 22 27
- [13] Luiten, G., Froese, T., Bjork, B.-C., Cooper, G., Junge, R., Karstila, K. & Oxman, R. 1993. An Information Reference Model for Architecture, Engineering, and Construction, In: Mathur, K., Betts, M. & Tham, K. (Eds.), *The Proceedings of the First International Conference on the Management of Information Technology for Construction*. World Scientific.
- [14] Loosemore, M., Dainty, A. & Lingard, H. 2003. *Human Resource Management in Construction Projects: Strategic and Operational Approaches*. Taylor & Francis.
- [15] Nourbakhsh, M., Zin, R.M., Irizarry, J., Zolfagharian, S., Gheisari, M. 2012. Mobile Application Prototype for On-site Information Management in Construction Industry Engineering. *Construction and Architectural Management*. 19(5): 474 494.
- [16] Project Management Institute. 2004. *A Guide to The Project Management Body of Knowledge (PMBOK)*. 3rd ed. Newton Square: Project Management Institute Inc.
- [17] Project Management Institute. 2013. *A Guide To The Project Management Body of Knowledge (PMBOK)*. 5th ed. Newton Square: Project Management Institute Inc.
- [18] Rawai, N. M., Fathi, M.S., Abedi, M., Rambat, S. 2013a. *Cloud Computing for Green Construction Management, proceeding of the 3rd international conference on Intelligent system Design and Engineering application (ISDEA)*. Hong Kong. 432 435.
- [19] Rawai, N. M., Fathi, M. S., Abedi, M. 2013b. *A Fundamental Review on Mobile Information System for Sustainable Project Management, Conference on Construction and Building Engineering (ICONBUILD)*, 28 30 October 2013, UTM Malaysia.
- [20] Raymond, L., Bergeron, F. 2008. Project Management Information Systems: An Empirical Study of Their Impact on Project Managers and Project Success. *International Journal of Project Management*. 26: 213 220.
- [21] Sacks, R. 2002. Integrated AEC Information Services Using Object Methods and a Central Project Model. *Computer-Aided Civil and Infrastructure Engineering*. 17: 464 472.
- [22] Traditional Ways of Organizing the Construction Company. *American Journal of Applied Sciences*. 5(1): 42 47.
- [23] Sumner, M. 1999. *Critical Success Factors in Enterprise Wide Information Management Systems Projects, SIGCPR '99 Proceedings of the 1999 ACM SIGCPR Conference on Computer Personnel Research, ACM*. New York. 297 303.
- [24] Turner, J. R. & Speiser, A. 1992. Programme Management and Its Information Systems Requirements. *International Journal of Project Management*. 10(4): 196 206.
- [25] Thomas, O. 2006. Reference Model Management. In *Fettke, P. & Loos, P. (Eds.) Reference Modeling for Business Systems Analysis*. Hershey, IGI Publishing.
- [26] Zakaria, W. Z., Majid M. Z. A., Nourbakhsh, M. 2012. Developing an Executive Information Site Monitoring System, *Advanced Materials Research*. 446 449: 1002 1005.

